
SECTION 7

LITERATURE CITED^{1,2}

- Abernathy, C.O., R. Cantilli, J.T. Du, and O.A. Levander. 1993. Essentiality versus toxicity: Some considerations in the risk assessment of essential trace elements. J. Saxena (ed.) In Vol 8, *Hazard Assessment of Chemicals*. Taylor and Francis. Washington, DC.
- Abernathy, C.O., and W.C. Roberts. 1994. Risk Assessment in the Environmental Protection Agency. *Journal of Hazardous Materials*.
- Alabama Department of Environmental Management (DEM). 1993. *Estimation of Daily Per Capita Freshwater Fish Consumption of Alabama Anglers*. Prepared by Fishery Information Management Systems, Inc., and the Department of Fisheries and Allied Aquacultures, Auburn University, AL.
- Allbright, Kelly. 1994. Minnesota Department of Health, Division of Environmental Health. Personal communication with Abt Associates, May 27, May 31, July 28.
- Anderson, H.A., and J.F. Amrhein. 1993. *Protocol for a Uniform Great Lakes Sport Fish Consumption Advisory*. Prepared for the Great Lakes Advisory Task Force. May.
- Armbruster, G., K.L. Gall, W.H. Gutenmann, and D.J. Lisk. 1989. Effects of trimming and cooking by several methods on polychlorinated biphenyl (PCB) residues in bluefish. *J. Food Safety* 9:235-244..
- ATSDR (Agency for Toxic Substances and Disease Registry). 1989. *Toxicological Profile for Selenium*. U.S. Department of Health and Human Services, Public Health Service. Atlanta, GA.

¹ The addresses from which to obtain State documents are listed in Appendix A, Sources of Additional Information.

² Article titles were not usually available for citations obtained from HSDB; consequently, page numbers were included for those citations (only).



- Baranski, B., I. Stetkiewicz, K. Sitarek, and W. Szymczak. 1983. Effects of oral, subchronic cadmium administration on fertility, prenatal and postnatal progeny development in rats. *Archives of Toxicology* 54.
- Barclay, Bridget. 1993. *Hudson River Angler Survey*. Poughkeepsie, NY: Hudson River Sloop Clearwater, Inc., March.
- Barnes, D.G., and J.S. Bellin. 1989. Interim Procedures for Estimating Risks Associated with Exposure to Mixtures of Chlorinated Dibenzo-p-Dioxins and Dibenzofurans (CDDs and CDFs). Risk Assessment Forum. U.S. Environmental Protection Agency, Washington, DC.
- Barnes, D.G., and M. Dourson. 1988. Reference Dose (RfD): Description and use in health risk assessments. *Regulatory Toxicology and Pharmacology* 8.
- Bennett, B.G. 1986. IARC Monograph Number 71, pp. 115-128 (from HSDB, 1993).
- Bero, Kathy. 1994. Lake Michigan Federation, Milwaukee, WI, office. Personal communication with Abt Associates, May 24.
- Blindauer, K.M. 1994. Comments on Volume 2 provided to EPA. April 20. Utah Department of Health, Division of Community Health Services, Salt Lake City, UT.
- Bolger, P.M., M.A. Adams, L.D. Sawyer, J.A. Burke, C.E. Coker, and R.J. Scheuplein. 1990. *Risk Assessment Methodology for Environmental Contaminants in Fish and Shellfish*. U.S. Food and Drug Administration. Center for Food Safety and Applied Nutrition. Washington, DC.
- Borum, D. 1994. Memo to Jeffrey Bigler. Environmental Protection Agency. Office of Water. Washington, DC. May.
- Branson, Dean R., I.T. Takahashi, W.M. Parker, and G.E. Blau. 1985. Bioconcentration kinetics of 2,3,7,8-tetrachlorodibenzo-p-dioxin in rainbow trout. *Environmental Toxicology and Chemistry* 4.
- Brown, M.P., M.B. Werner, R.J. Sloan, and K.W. Simpson. 1985. Polychlorinated biphenyls in the Hudson River. *Environmental Science and Technology* 19.
- Bruggeman, W.A., A. Opperhuizen, A. Wijbenga, and O. Hutzinger. 1984. Bioaccumulation of superlipophilic chemicals in fish. *Toxicology and Environmental Chemistry* 7.
- Burbacher, T.M., P.M. Rodier, and B. Weiss. 1990. Methylmercury developmental neurotoxicity: A comparison of effects in humans and animals. *Neurotoxicology and Teratology* 12.

- Burr, J.L., J.F. Gilbert, R.M. Holliday, P.C. Elwood, A.M. Fehily, S. Rogers, P.M. Sweetnam, and N.M. Deadman. 1989. Effects of changes in fat, fish, and fibre intakes on death and myocardial reinfarction: Diet and reinfarction trial (DART). *The Lancet*. September 30.
- Burrough, P.A. 1991. *Principles of Geographical Information Systems for Land Resources Assessment*. Oxford: Clarendon Press.
- Callahan, M.Z., M.W. Slimak, N.W. Gable, I.P. May, C.F. Fowler, J.R. Freed, P. Jennings, R.L. Durfee, F.C. Whitmore, B. Amestri, W.R. Mabey, B.R. Holt, and C. Gould. 1979. *Water-Related Environmental Fate of 129 Priority Pollutants. Volumes I and II.* EPA-440/4-79-029b. U.S. Environmental Protection Agency, Washington, DC.
- Carlson, G. 1994. Comments on Volume II of this series from the Missouri Department of Health. April 22.
- Chang, L.W. 1987. Neuropathological Changes Associated with Exposure. In: Neurotoxicants and Neurobiological Function, Effects of Organoheavy Metals. H.A. Tilson and S.B. Sparber (eds.). New York: John Wiley & Sons.
- Chiang, Audrey. 1996. Asian Pacific Environmental Network, Oakland, CA. Personal communication with Abt Associates. April 15.
- Choi, B.H. 1989. The effects of methylmercury on the developing brain. *Progress in Neurobiology* 32.
- Clarkson, W.T. 1987. *Environmental Health Perspectives*. 75:59-64. (from HSDB, 1993).
- Clarkson, W.T. 1990. Human health risks from methylmercury in fish. *Environmental Toxicology and Chemistry* 9.
- Clarkson, W.T., and W.F. Fitzgerald. 1991. Mercury and monomethylmercury; present and future concerns. *Envonmental Health Perspectives*, 96.
- Clarkson, W.T., D.O. Marsh, C. Cox, G.J. Myers, L. Amin-Zaki, and S. Al-Tikriti. 1987. Fetal methylmercury poisoning: Relationship between concentration in single strands of maternal hair and child effects. *Archives of Neurolology*, 44.
- Clarkson, W.T., D.O. Marsh, C. Cox, G.J. Myers, L. Amin-Zaki, and S. Al-Tikriti. 1989. Dose-response analysis of infants prenatally exposed to methyl mercury: An application of a single compartment model to single-strand hair analysis. *Environmental Research* 49.

- Cole, M. 1994. Staff member of the EAGLE Project. Personal communication with Abt Associates. September 23.
- Columbia River Inter-Tribal Fish Commission, 1994.
- Connelly, Nancy, et al. 1990. New York Statewide Angler Survey. 1988. Funded by the New York State Department of Environmental Conservation.
- Cox, C., A. Vaillancourt, A. Hayton. 1993. *The Results of the 1992 Guide to Eating Ontario Sport Fish*. Ontario, Canada: Ministry of Environment and Energy. November.
- Cung, Josee. 1994. Minnesota Department of Natural Resources. South East Asian Outreach Project. Personal communication with Abt Associates. July 28.
- Cunningham, P.A., J.M. McCarthy, and D. Zeitlin. 1990. Results of the 1989 Census of State Fish/Shellfish Consumption Advisory Programs. Prepared for Assessment and Watershed Protection Division, Office of Water Regulations and Standards, U.S. Environmental Protection Agency. Washington, DC. Research Triangle Institute, Research Triangle Park, NC.
- Cunningham, P.A., S.L. Smith, J.P. Tippett, and A. Greene. 1994. A national fish consumption advisory data base: A step toward consistency. *Fisheries* 19(5):14-23.
- Cunningham-Burns, K.M., and W.H. Hallenbeck. 1986. *Pesticides and Human Health*. New York: Springer-Verlag Press.
- Dahl, R., R.F. White, P. Weihe, and N. Sorensen. 1996. Feasibility and validity of 3 computer-assisted tests in 7 year old children. *Neurotoxicology and Teratology* 18(4):413-419.
- Davis, D.L., H.L. Bradlow, M. Wolff, T. Woodruff, D.G. Hoel, and H. Anton-Culver, H. 1993. Medical hypothesis: Xenoestrogens as preventable causes of breast cancer. *Environmental Health Perspectives* 101(5).
- Dellenbarger, L., A. Schupp, and B. Kanjilal. 1993. *Seafood Consumption in Coastal Louisiana*. Louisiana Department of Environmental Quality.
- Dellinger, J.A. 1993. Assessment of a Human Population at Risk: The Impact of Consuming Contaminated Great Lakes Fish on Native American Communities. The Ojibway Health Study. Progress and Summary Report, Milwaukee, WI.
- _____. 1994. School of Preventive Medicine, Medical College of Wisconsin. Personal communication with Abt Associates. September 9.

- Dellinger, J.A. 1995. Mercury contamintation of fish in the Ojibwa diet: Walleye fillets and skin-on versus skin-off sampling. *J Water Air and Soil Pollut*.
- _____. 1996. Department of Preventative Medicine, Medical College of Wisconsin. Personal communication with Abt Associates. March 26.
- Den, Arnold. 1994. Senior Science Advisor, U.S. Environmental Protection Agency Region 9. Personal communication with Abt Associates. July 21, July 28.
- Dourson, M.L., and J.M. Clark. 1990. Fish consumption advisories: Toward a unified, scientifically-credible approach. *Regulatory Toxicity and Pharma-cology* 12.
- Dourson, M.L., L.A. Knauf, and J.C. Swartout. 1992. On reference dose (RfD) and its underlying toxicity data base. *Toxicology and Industrial Health* 8(3).
- Eagle Project (Effects on Aboriginals from the Great Lakes Environment). 1991. 1991 Report, Factsheets, and Principles Document. Ottawa, Ontario, Canada.
- Eng, Gwendolyn. 1994. Regional Representative, Office of Regional Operations. Agency for Toxic Substances and Disease Registry. Personal communication with Abt Associates, August 1.
- Falck, F, A. Ricci, M.S. Wolff, J. Godbold, and P. Deckers. 1992. Pesticides and polychlorinated biphenyl residues in human breast lipids and their relation to breast cancer. *Archives of Environmental Health* 47(2).
- Farland, W., and M. Dourson. 1992. Chapter 7. Noncancer Health Endpoints: Approaches to Quantitative Risk Assessment. In: *Comparative Environmental Risk Assessment*. C. Richard Cothern (ed.). Ann Arbor, MI: Lewis Publishers.
- Fiore, B.J., et al. 1989. Sport fish consumption and body burden levels of chlorinated hydrocarbons: A study of Wisconsin anglers. *Arch Env Health* 44:82-88.
- Great Lakes Sport Fish Advisory Task Force. 1993. *Draft Protocol for a Uniform Great Lakes Sport Fish Consumption Advisory*. May.
- Habicht, H.F. 1992. Deputy Administrator. U.S. EPA. Memorandum: Guidance on Risk Characterization for Risk Managers and Risk Assessors. Washington, DC.
- Harrison, S.E., and J.F. Klaverkamp. 1990. Metal contamination in liver and muscle of northern pike (*Esox lucius*) and white sucker (*Catostomus commersoni*) and in sediments from lakes near the smelter at Flin Flon, Manitoba. *Environmental Toxicology and Chemistry* 9.

- Hayes, W.J. 1982. *Pesticides Studied in Man.* Baltimore, MD: Williams and Wilkins.
- Hayes, W.J., and E.R. Laws. 1991. *Handbook of Pesticide Toxicology, Vols. 1-3.* San Diego: Academic Press, Inc.
- HSDB (Hazardous Substances Data Bank). 1993. All searches conducted on-line through Toxnet in 1993 unless specifically noted. Developed by U.S. EPA.
- ______. 1997. National Library of Medicine. Toxicology Information Program. Bethesda, MD. April.
- HEAST (Health Effects Summary Tables). 1992. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- _____. 1995. Office of Research and Development. Office of Emergency and Remedial Response. U.S. Environmental Protection Agency, Washington, DC. EPA 540/R-95-036.
- Holder, J.W. 1986. The Assessment of the Carcinogenicity of Dicofol (Kelthane), DDT, DDE, and DDD (TDE). EPA-600/6-86/001. Carcinogen Assessment Group. U.S. Environmental Protection Agency. Washington, DC.
- Honstead, J.F., T.M. Beetle, and J.K. Soldat. 1971. A Statistical Study of the Habits of Local Fishermen and Its Application to Evaluation of Environmental Dose. Battelle Pacific Northwest Laboratories, Richland, WA. [Cited in Rupp et al., 1980.]
- Humphrey, H.E.B. 1976. Cited in Michigan Sport Angles Fish Consumption Survey. Ann Arbor, MI: University of Michigan School of Natural Resources.
- IRIS (Integrated Risk Information System). 1992. Office of Health and Environmental Assessment. Environmental Criteria and Assessment Office. Cincinnati, OH.
- _____. 1993. U.S. Environmental Protection Agency. Duluth, MN.
- _____. 1994. U.S. Environmental Protection Agency. Environmental Criteria and Assessment Office. Cincinnati, OH. EPA's Carcinogenicity Risk Assessment Verification Endeavor Work Group.
- _____. 1995. Office of Health and Environmental Assessment. Environmental Criteria and Assessment Office. Cincinnati, OH. May.
- ______. 1997. All searches conducted online through Toxnet in 1997 unless specifically noted with another year. Database developed and maintained by U.S. Environmental Protection Agency. Office of Health and Environmental Assessment. Environmental Criteria and Assessment Office, Cincinnati, OH.

- Jacobs, H. 1994. U.S. Environmental Protection Agency. Engineering and Analysis Division, Washington DC. Memorandum to Elizabeth Southerland. U.S. Environmental Protection Agency. Standards and Applied Science Division. Washington DC.
- ______. 1996. U.S. Environmental Protection Agency, Engineering and Analysis Division, Washington, DC. Estimates of U.S. Population Fish Consumption. Memorandum to Robert Cantilli, Michael Cox, Denis Borum, Jeffrey Bigler. U.S. Environmental Protection Agency. March 27.
- Jaffar, M., and M. Ashraf. 1988. Heavy metal contents in some selected local freshwater fish and relevant waters. *Indian Journal of Marine Science* 17(3).
- James, R.C., H. Busch, C.H. Tamburro, S.M. Roberts, J.D. Schnell, and R.D. Harbison. 1993. Polychlorinated biphenyl exposure and human disease. *J. Occup. Med.* 35:136-148.
- Jarabek, A.M., M.G. Menach, J.H. Overton, M.L. Dourson, and F.J. Miller. 1993. The Environmental Protection Agency's inhalation RfD, methodology: Risk assessment for air toxics. *Toxicology and Industrial Health* 6.
- Javitz, Harold. 1980. Seafood Consumption Data Analysis, Final Report. SRI International. Prepared for the U.S. Environmental Protection Agency. Office of Water Regulations and Standards, Task 11, EPA Contract 68-01-3887.
- Keill, Leslie. 1996. Washington Department of Ecology. Personal communication with Abt Associates. March 28.
- Kimbrough, R.D. 1995. Polychlorinated biphenyls (PCBs) and human health: An update. *Crit. Rev. Toxicol.* 25:133-163.
- Kjellstrom, T., P. Kennedy, S. Wallis, and C. Mantell. 1986a. *Physical and Mental Development of Children with Prenatal Exposure to Mercury from Fish. Stage 1: Preliminary Test at Age 4.* National Swedish Environmental Protection Board. Report 3642 (Solna, Sweden).
- Kjellstrom, T., P. Kennedy, S. Wallis, et al. 1986b. *Physical and Mental Development of Children with Prenatal Exposure to Mercury from Fish. Stage 2: Interviews and Psychological Tests at Age 6.* National Swedish Environmental Protection Board. Report 3642 (Solna, Sweden).
- Klaassen, C.D., M.O. Amdur, and J. Doull (eds.). 1986. *Casarett and Doull's Toxicology: The Basic Science of Poisons*. New York: Macmillan Publishing.
- Kleeman, James, J.R. Olson, S.S. Chen, and R.E. Peterson. 1986a. Metabolism and disposition of 2,3,7,8-tetrachlorodibenzo-p-dioxin in rainbow trout. *Toxicology and Applied Pharmacology* 83.

- Kleeman, James, J.R. Olson, S.S. Chen, and R.E. Peterson. 1986b. 2,3,7,8-tetrachlorodibenzo-p-dioxin metabolism and disposition in yellow perch. *Toxicology and Applied Pharmacology* 83.
- Kmiecik, Neil, and H.H. Ngu. 1994. Survey of Tribal Spearer: Mercury Concerns. Great Lakes Fishing Memorandum. April 20.
- Kuehl, D.W., B.C. Butterworth, A. McBride, S. Kroner, and D. Bahnick. 1987. Bioavailability of polychlorinated dibenzo-p-dioxins and dibenzofurans from contaminated Wisconsin River sediment to carp. *Chemosphere* 16(4).
- Lebel, J., D. Mergler, M. Lucotte, J. Amorim, J. Dolbec, D. Miranda, G. Arantes, I. Rheault, and P. Pichet. 1996. Evidence of early nervous system dysfunction in Amazonian populations exposed to low-levels of methylmercury. *NeuroToxicology* 17:157-168.
- Lorenzano, R. 1994. U.S. Environmental Protection Agency Region 10. Personal communication with Abt Associates. July 28.
- Lowe, T.P., T.W. May, W.G. Brumbaugh, and D.A. Kane. 1985. National Contaminant Biomonitoring Program: Concentrations of seven elements in freshwater fish, 1978-1981. *Arch. Environ. Contam. Toxicol.*14:353-388.
- Lyman, W.J., W.F. Reehl, and D.H. Rosenblatt. 1982. *Handbook of Chemical Property Estimation Methods*. New York: McGraw-Hill Book Co.
- Marcovecchio, J.E., V.J. Moreno, and A. Perez. 1988. The sole, paralichthys sp., as an indicator species for heavy metal pollution in the Bahia Blanca Estuary, Argentina. *Science of the Total Environment* 75.
- Marsh, D.O., T.W. Clarkson, C. Cox, G.J. Meyers, L. Amin-Zaki, and S. Al-Tikriti. 1987. Fetal methylmercury poisoning: Relationship between concentration in single strands of maternal hair and child effects. *Archives of Neurology* 44:1017-1022.
- Marsh, D., T. Clarkson, G. Meyers, P. Davidson, C. Cox, E. Chernichiari, M. Tanner, W. Lednar, C. Shamlaye, O. Choisy, C. Hoareau, and M. Berlin. 1995. The Seychelles study of fetal methylmercury exposure and child development: Introduction. *NeuroToxicology* 16:583-596.
- Marsh, D., M. Turner, J. Crispin-Smith, P. Allen, and N. Richdale. 1995. Fetal methylmercury study in a Peruvian fish-eating population. *NeuroToxicology* 16:717-726.
- Minnesota Department of Health. 1992. *Minnesota Fish Consumption Advisory*. Minneapolis, MN. May.

- Missouri Department of Health. 1992. 1992 Fish Consumption Advisory. Jefferson City, MO. May. Mittlestadt, Jillian. 1994. Tulalip Tribal Department of Natural Resources. Personal communication with Abt Associates. March 26. . 1996. Tulalip Tribal Department of Natural Resources. Personal communication with Abt Associates. March 26. MIXTOX. 1992. Database on toxicological interactions available on disc for personal computers. Version 1.5 ECAO, EPA, Cincinnati, OH. NAS (National Academy of Sciences). 1983. Risk Assessment in the Federal Government: Managing the Process. Committee on the Institutional Means for Assessment of Risks to Public Health, Commission on Life Sciences, National Research Council. Washington, DC. _. 1991. Seafood Safety. Committee on Evaluation of the Safety of Fishing Products. National Academy Press: Washington, DC. __. 1993. Pesticides in the Diets of Infants and Children. Committee on Pesticides in the Diets of Infants and Children, Board on Agriculture and Board on Environmental Studies and Toxicology. Commission on Life Sciences. National Academy Press: Washington, DC. . 1994. Science and Judgment in Risk Assessment. Committee on Risk Assessment of Hazardous Air Pollutants, Board on Environmental Studies and Toxicology, Commission on Life Sciences, National Research Council. Washington, DC: National Academy Press, 651 pp. NRC (National Research Council). 1989. Recommended Dietary Allowances. 10th Edition. Washington, DC: National Academy Press. . 1994. Science and Judgment in Risk Assessment. Washington, DC: National Academy Press.
- Nehls-Lowe, Henry. 1994. Wisconsin Department of Natural Resources. Personal communication with Abt Associates. July 29
- New York State Department of Environmental Conservation (DEC). 1981. *Toxic Substances in Fish and Wildlife*. Technical Report 81-1 (BEP). Albany, NY: Division of Fish and Wildlife.
- Nisbet, I.C.T., and P.K. LaGoy. 1992. Toxic equivalency factors (TEFs) for polycyclic aromatic hydrocarbons (PAHs). *Reg. Toxicol. Pharmacol.* 16:290-300.

- NOAA (National Oceanic and Atmospheric Administration). 1989. *National Status and Trends Program for Marine Environmental Quality—Progress Report: A Summary of Selected Data on Tissue Contamination from the First Three Years* (1986-1988) of the Mussel Watch Project. NOAA Technical Memorandum NOS OMA 49. U.S. Department of Commerce, Rockville, MD.
- Norey, C.G., M.W. Brown, A. Cryer, and J. Kay. 1990. A Comparison of the Accumulation, Tissue Distribution, and Secretion of Cadmium in Different Species of Freshwater Fish. *Comparative Biochemical Physiology* C., Vol. 96C, No.1.
- Norton, S. 1987. Unconditioned Behavioral Measures of Neurotoxicity. In: Tilson, H.A. and S.B. Sparber (eds.). *Neurotoxicants and Neurobiological Function, Effects of Organoheavy Metals*. New York: John Wiley & Sons.
- Pestana, Edith. 1994. Connecticut Commissioner's Office of the Department of Environmental Protection, Section of Environmental Justice. Personal communication with Abt Associates, May 18.
- Pierce, R.S., D.T. Noviello, and S.H. Rogers. 1981. Commencement Bay Seafood Consumption Report. Preliminary Report. Tacoma-Pierce County Health Department, Tacoma, WA.
- Piotrowski, J.K., and M.J. Inskip. 1981. *Health Effects of Mercury: A Technical Report (1981)*. MARC Report Number 24. Chelsea College, University of London. 82 pp.
- Podrebarac, D.S. 1984. *J. Assoc. Off. Anal. Chem.* 67:176-185. (from HSDB, 1993).
- Preuss, P.W., and A.M. Erlich. 1986. *The Environmental Protection Agency's Risk Assessment Guidelines*. Presented at the 79th Meeting of the Air Pollution Control Association, June 23.
- Puffer, H.W., S.P. Azen, M.J. Duda, and D.R. Young. 1982. Consumption Rates of Potentially Hazardous Marine Fish Caught in the Metropolitan Los Angeles Area. U.S. Environmental Protection Agency, Environmental Research Laboratory, Corvallis, OR. EPA 600/3-82-070.
- Reinert, R., et al., 1972. Effects of dressing and cooking on DDT concentrations in certain fish from Lake Michigan. *J Fish Res Board Can* 29.
- RTI (Research Triangle Institute). 1990. Current State Fish and Shellfish Consumption Advisories and Bans. Research Triangle Park, NC.
- Reuhl, K.R. 1987. Neuropathology of Organometallic Compounds. In: Tilson, H.A. and S.B. Sparber (eds.). *Neurotoxicants and Neurobiological Function, Effects of Organoheavy Metals.* New York: John Wiley & Sons.


- Richter, B.S., and R. Rondinelli. 1989. *The Relationship of Human Levels of Lead and Cadmium to the Consumption of Fish Caught In and Around Lake Coeur d'Alene,* Idaho. Final Report. Technical Assistance to the Idaho State Health Department and the Indian Health Service. Boise, ID.
- Robbins, S.L., R.S. Cotran, Kumar Vinay (eds.). 1989. *Robbins Pathologic Basis of Disease*, 4th Ed. Philadelphia, PA: W.B. Saunders Company.
- Rogers, A.E. 1995. Methyl donors in the diet and response to chemical carcinogens. *Am. J. Clin. Nutr.* 61:6595-6655.
- Rupp, Elizabeth, F.L. Miller, and C.F. Baes III. 1979. Some Results of Recent Surveys of Fish and Shellfish Consumption by Age and Region of U.S. Residents. *Health Physics* 39.
- Ryan, J., P. Lau, J. Pilon, and D. Lewis. 1983. 2,3,7,8-Tetrachlorodibenzo-*p*-Dioxin and 2,3,7,8-Tetrochlorodibenzofuran Residues in Great Lakes Commerical and Sport Fish. In G. Gehoudhar, L. Keithand, C. Rappe (eds.). *Chlorinated Dioxins and Dibenzofurans in the Total Environment*. Boston, MA: Butterworth Pub.
- Schmitt, C.J., J.L. Zajicek, and P.H. Peterman. 1990. National Contaminant Biomonitoring Program: Residues of organochlorine chemicals in U.S. freshwater fish, 1976-1984. *Arch. Environ. Contam. Toxicol.* 19:748-781.
- Sekerke, J. 1995. Personal communication with Abt Associates.
- Shubat, P. 1991. Health Risk Assessment for the Consumption of Sport Fish Contaminated with Mercury: Guidelines for the 1991-1992 Minnesota Fish Consumption Advisory. Minnesota Department of Health. Minneapolis.
- _____. 1993a. Draft Health Risk Assessment for the Consumption of Sport Fish Contaminated with Mercury, PCBs and TCDD. Minnesota Department of Health. Minneapolis. January.
- _____. 1993b. Minnesota Department of Health. Conversation with Abt Associates. August 25.
- Skerfving, S. 1988. Mercury in women exposed to methylmercury through fish consumption, and in their newborn babies and breast milk. *Bull Environ. Contam. Toxicol.* 41:475-482.
- Skea, J.C., et al. 1979. Reducing levels of mirex, arochlor 1254, and DDE by trimming and cooking Lake Ontario brown trout (*salmo trutta L.*) and smallmouth bass (micropterus dolomieui lacepede). *J Great Lakes Res.* 5(2).
- Silberhorn, E.M., H.P. Glauert, and L.W. Robertson. 1990. Carcinogenicity of polychlorinated biphenyls: PCBs and PBBs. *Crit. Rev. Toxicol.* 20:440-496.

- Slemr, F., and E. Langer. 1992. Increase in global atmospheric concentrations of mercury inferred from measurements over the Atlantic Ocean, *Nature*, 355.
- Smith, W.E., K. Funk, and M.E. Zabik. 1973. Cited in: Assessment of Contaminants in Five Species of Great Lakes Fish at the Dinner Table. Final Report to the Great Lakes Protection Fund. March.
- Sonstegard, R. 1985. Personal communication as noted in Kleiman (1985). Fish Consumption by Recreational Fishermen: An Example of Lake Ontario/Niagara River Region. Prepared for U.S. Environmental Protection Agency. Office of Enforcement and Compliance Monitoring. Arlington, VA: Environ Corporation, May 20. page 9.
- Soto, A.M., K.L. Chung, and C. Sonnenschein. 1994. The pesticides endosulfan, toxaphene, and dieldrin have estrogenic effects on human estrogen-sensitive cells. *Envirionmental Health Perspectives* 102(4).
- Stern, A.H. 1993. Re-evaluation of the reference dose for methylmercury and assessment of current exposure levels. *Risk Analysis* 13(3).
- Stern, G., G. Muir, C. Ford, N. Grift, E. Dewally, T. Bidleman, and M. Walls. 1992. *Environ Sci Technol*. 26:1838-1840.
- Tilson, H.A., and S.B. Sparber (eds.). 1987. *Neurotoxicants and Neuro-biological Function, Effects of Organoheavy Metals*. New York: John Wiley & Sons.
- Tollefson, Linda. 1989. Methylmercury in Fish: Assessment of Risk for U.S. Consumers. In: *The Risk Assessment of Environmental and Human Health Hazards: A Textbook of Case Studies.* Dennis J. Paustenback (ed.). John Wiley & Sons: New York.
- University of Wisconsin SeaGrant. 1994. Personal communication with Abt Associates. May 27.
- USDA (Department of Argriculture). 1983. Food Consumption: Households in the United States, Seasons and Year 1977-78.
- ______. 1991. Continuing Survey of Food Intakes by Individuals Data and Documentation. Human Nutrition Information Service. Belcrest Road, Hyattsville, MD.
- USDA (Department of Agriculture)/HNIS. 1989. *Continuing Survey of Food Intake by Individuals Data Set.* (Released January 1993.)
- U.S. EPA (Environmental Protection Agency). In press. *Per Capita Fish Consumption Estimates from the Combined 1989, 1990, 1991 USDA CSFII.* Washington, DC.

U.S. EPA (Environmental Protection Agency). 1982. Recognition and Management of Pesicide Poisonings, 3rd Ed. EPA-540/9-80-005. Washington, DC: U.S. Government Printing Office. January.
1985. <i>Principles of Risk Assessment, A Nontechnical Review.</i> EPA3-85-000. Workshop on Risk Assessment. Easton, MD. March.
1986a. Guidelines for carcinogen risk assessment. <i>Federal Register</i> . 51(185):33992-34003.
1986b. Guidelines for the health assessment of suspect developmental toxicants. <i>Federal Register.</i> 51(185):34028-34040.
1986c. Guidelines for mutagenicity risk assessment. <i>Federal Register</i> . 51(185):34006-34012.
1986d. Guidelines for the health risk assessment of chemical mixtures. Federal Register. 51(185):34014-34025.
1986e. <i>Health Assessment Document for Polychlorinated Dibenzo-furans</i> . Draft. EPA 600/8-86-018A. Environmental Criteria and Assessment Office. Cincinnati, OH.
1986f. <i>Tributyltin technical support document position document 2/3</i> . Office of Pesticides and Toxic Substances. Office of Pesticide Programs Special Review Branch. Washington, DC.
1987a. Integrated risk information system supportive documentation: volume 1. Washington, DC.: Office of Research and Development. EPA/600/8-86/032a.
1987b. <i>National Dioxin Study. Tiers 3, 5, 6, and 7.</i> EPA-440/4-87-003. Office of Water Regulations and Standards. Washington, DC.
1988a. Proposed guidelines for assessing female reproductive risk. Federal Register, 53:24834-24847.
1988b. Proposed guidelines for assessing male reproductive risk. U.S. EPA. <i>Federal Register</i> , 53: 24850-24869.
1988c. Region V Risk Assessment for Dioxin Contaminants. Chicago, IL.
1989a. Assessing Human Health Risks From Chemically Contaminated Fish and Shellfish: A Guidance Manual. Washington, DC: Office of Water Regulations and Standards. EPA 503/8-89-002.

U.S. EPA (Environmental Protection Agency). 1989b. Risk Assessment Guidance For Superfund. Volume 1: Human Health Evaluation Manual (Part A). Office of Emergency and Remedial Response. EPA/540/1-89/002.
1989c. Interim Methods for Development of Inhalation Reference Doses. Office of Health and Environmental Assessment. Washington, DC,
1990a. Exposure Factors Handbook. Washington, DC: Office of Health and Environmental Assessment. EPA 600/8-89/043.
1990b. Risk assessment methodology for fish. Office of Pesticide Programs.
1991a. Guidelines for developmental toxicity risk assessment. <i>Federal Register</i> . 56:63798-63826.
1991b. Technical support document for water quality based toxics control. Washington, DC: Office of Water. EPA 505/2-90-001.
1991c. <i>National Bioaccumulation Study, Draft</i> . Washington, DC: Office of Water Regulations and Standards.
1992a. Guidelines for exposure assessment. <i>Federal Register</i> . 57(104):22888.
1992b National Study of Chemical Residues in Fish, Volumes I and II. EPA 823-R-92-008a. Washington, DC: EPA, Office of Science and Technology.
1992c. Consumption Surveys for Fish and Shellfish: A Review and Analysis of Survey Methods. Washington, DC: Office of Water.
1992d. Memorandum from Reto Engler (HED/OPP) to Chiefs, Section Heads, etc., entitled <i>List of Chemicals Evaluated for Carcinogenic Potential</i> (also referred to as the Waxman Report) February 27.
1992e. <i>Toxicology One-liners for Malathion</i> . Washington, DC: Office of Pesticide Programs.
1992f. <i>Toxicology One-liners for Terbufos.</i> Washington, DC: Office of Pesticide Programs.
1992g. <i>Toxicology One-liners for Chlorpyrifos.</i> Washington, DC: Office of Pesticide Programs.
. 1992h. Office of Pesticide Programs RfD Tracking Report January 27.

U.S. EPA (Environmental Protection Agency). 1992i. 304(a) Criteria and Related Information for Toxic Pollutants. Spreadsheet. Water Quality Standards Unit, Water Management Division, Region 4, Atlanta, GA.
1993a. Guidance for Assessing Chemical Contamination Data for Use in Fish Advisories, Volume 1: Fish Sampling and Analysis. Washington, DC: Office of Science and Technology.
1993b. <i>Toxicology One-liners for Toxaphene</i> . Washington, DC: Office of Pesticide Programs.
1993c. <i>Drinking Water Regulations and Health Advisories.</i> Washington, DC: Office of Water. May.
1993d. Provisional Guidance for Quantitative Risk Assessment of Polycyclic Aromatic Hydrocarbons. EPA/600/R-93/089. Environmental Criteria and Assessment Office. Office of Health and Environmental Assessment. Cincinnati, OH.
1993e. Memo from G. Ghali to D. Edwards, OPP. RfD/Peer-Review Report of Chlorpyrifos. Washington, DC.
1993f. <i>Toxicology One-liners for Diazinon</i> . Washington, DC: Office of Pesticide Programs.
1993g. <i>Toxicology One-liners for Dicofol.</i> Washington, DC: Office of Pesticide Programs.
1993h. <i>Toxicology One-liners for Disulfoton.</i> Washington, DC: Office of Pesticide Programs.
1993i. <i>Toxicology One-liners for Endosulfan.</i> Washington, DC: Office of Pesticide Programs.
1993j. Toxicology One-liners for Heptachlor/Heptachlor Epoxide. Washington, DC: Office of Pesticide Programs.
1993k. <i>Toxicology One-liners for Lindane</i> . Washington, DC: Office of Pesticide Programs.
1993l. <i>Toxicology One-liners for Oxyfluorfen.</i> Washington, DC: Office of Pesticide Programs.
1993m. <i>Toxicology One-liners for Endrin.</i> Washington, DC: Office of Pesticide Programs.
1993n. <i>Toxicology One-liners for Ethion.</i> Washington, DC: Office of



- U.S. EPA (Environmental Protection Agency). 1996f. *Cancer Dose-Response Assessment and Application to Environmental Mixtures*. EPA/600/P-96/001F. Washington, DC.
- U.S. FDA (Food and Drug Administration). 1993. *Guidance Document for Cadmium in Shellfish*. Washington, DC: Center for Food Safety and Applied Nutrition, U.S. FDA.
- U.S. FWS (Fish and Wildlife Service). 1993. *National Survey of Fishing, Hunting, and Wildlife Associated Recreation*. Washington, DC.
- Velazzquez, Susan. 1994. Personal communication. U.S. EPA. Environmental Criteria and Assessment Office. Cincinnati, OH.
- Voiland Jr., M.P., et al. 1991. Effectiveness of recommended fat trimming procedures on the reduction of PCB and mirex levels in brown trout (*salmo trutta*) from Lake Ontario. *J Great Lakes Res* 17(4).
- Watanabe, Anne. 1993. Columbia River Intertribal Commission. Conversation with Abt Associates. October 15.
- ______. 1994. Columbia River Intertribal Commission. Conversation with Abt Associates, August 1, September 27.
- West, P.C., M.J. Fly, R. Marans, and F. Larkin. 1989. Michigan sports anglers fish consumption survey, Supplement I, Non-response bias and consumption suppression effect adjustments. School of Natural Resources, University of Michigan, Ann Arbor. Natural Resource Sociology Research Lab, Technical Report No. 2.
- _____. 1993. 1991-92 Michigan Sport Anglers Fish Consumption Study. Final Report to the Michigan Great Lakes Protection Fund, Michigan Department of Natural Resources, Lansing, MI.
- West, Steve. 1994. Idaho Department of Environmental Health. Personal communication with Abt Associates. June 1.
- Wheatley, Brian. 1996. Environment Canada. Personal communication with Abt Associates. March 26.
- White, R., et al. 1985. PCBs in striped bass collected from the Hudson River, NY, during fall 1981. *J Envir Contam Toxicol* 34.
- Williams, Lisa, J.P. Glesy, N. DeGalan, D.A. Verbrugge, D.E. Tillitt, G.T. Ankley, and R.L. Welch. 1992. Prediction of Concentrations of 2,3,7,8-tetrachloro-dibenzo-p-dioxin equivalents from total concentrations of polychlorinated biphenyls in fish fillets. *Environmental Science and Technology* 26(6).

- WHO (World Health Organization). 1976. *Environmental Health Criteria 1: Mercury*. Geneva, Switzerland: WHO.
- _____. 1990. Environmental Health Criteria 101: Methylmercury. Geneva, Switzerland: WHO.
- Wulf, H.C., N. Kromann, N. Kousgaard, et al. 1986. Sister chromataid exchange (SCE) in Greenlandic Eskimos: Dose-response relationship between SCE and seal diet, smoking, and blood cadmium and mercurcy concentrations. *Sci Total Environment* 48:81-94.
- Young, Pat. 1994. U.S. Environmental Protection Agency Region 9. Personal communication with Abt Associates, July 28.
- Zabik, M.E., et al. 1993. Assessment of Contaminants in Five Species of Great Lakes Fish at the Dinner Table. Final Report to the Great Lakes Protection Fund, March.